Service therefore at an hourly rate of \$17.44 to cover the cost thereof.

(b) The term "holiday" shall mean the legal public holidays specified by the Congress in paragraph (a) of section 6103, title 5 of the United States Code. Information on legal holidays may be obtained from the supervisor.

[37 FR 6657, Apr. 1, 1972. Redesignated at 42 FR 32514, June 27, 1977, and amended at 46 FR 9, Jan. 2, 1981. Redesignated at 46 FR 63203, Dec. 31, 1981, and amended at 47 FR 46071, Oct. 15, 1982; 59 FR 52637, Oct. 18, 1994]

#### §59.130 Basis of billing plants.

Overtime and/or holiday services shall be billed to the official plant on the basis of each 15 minutes of overtime and/or holiday service performed by each inspector providing such service to the plant, except that when an official plant requires the services of an inspector after he has completed his day's assignment and left the plant or when he is called back to duty on a day outside the established normal operating schedule or on a holiday, the official plant shall pay for a minimum of 2 hours service at the applicable established rate. Extra travel expense incurred while rendering overtime or holiday service shall be billed to the official plant. Bills are payable upon receipt and become delinquent 30 days from date of billing. Overtime or holiday inspection service will not be performed at any plant that is delinquent, and processing operations shall be confined to the regular operating schedule of the plant. In addition, fees will be charged and collected for certifications requested by and provided for the official plant that are not within the scope of these regulations. Unless otherwise provided in this part, the fees to be charged and collected for any service performed (other than an appeal) shall be based on the applicable rates specified in the Regulations Governing the Voluntary Inspection of Egg Products and Grading (7 CFR, 55.510 through 55.560).

[36 FR 9814, May 28, 1971. Redesignated at 42 FR 32514, June 27, 1977, and at 46 FR 63203, Dec. 31, 1981; and amended at 60 FR 49169, Sept. 21, 1995]

#### §59.132 Access to plants.

Access shall not be refused, at any reasonable time, to any representative of the Secretary to any plant or place of business subject to inspection under the provisions of this part upon presentation of proper credentials.

# §59.134 Accessibility of product.

Each product for which inspection service is required shall be so placed as to disclose fully its class, quality, quantity, and condition as the circumstances may warrant.

### §59.136 Facilities and equipment to be furnished by official plants for use of inspectors in performing service.

(a) Such facilities and equipment shall include but not be limited to a room or area suitable for sampling product, and acceptable candling light, flashlight, heavy duty, high speed drill with an eleven sixteenths-inch or larger bit of sufficient length to reach the bottom of containers used for frozen eggs, metal stem thermometer(s), test thermometer(s), stop watch, weighing scale(s) and test weight(s), test kit for determining the bactericidal strength of sanitizing solutions, and stationary or adequately secured storage box or cage (capable of being locked only by the inspector) for holding official samples.

(b) Furnished office space and equipment, including but not being limited to a desk (equipped with a satisfactory locking device), lockers or cabinets suitable for the protection and storage of supplies, and facilities suitable for inspectors to change clothing.

[36 FR 9814, May 28, 1971. Redesignated at 42 FR 32514, June 27, 1977, and at 46 FR 63203, Dec. 31, 1981; and amended at 60 FR 49169, Sept. 21, 1995]

## APPLICATION FOR SERVICE

#### §59.140 How application shall be made.

The proprietor or operator of each plant processing egg products, unless exempted by §59.100, shall make application to the Administrator for inspection service. The application shall be made in writing on forms furnished by the inspection service. In cases of change of name or ownership or change